



HOSPITAL GRADE DISINFECTANT DECONTAMINANT CLEANER

ACTERICIDAL • FUNGICIDAL • TUBERCULOCIDAL READY TO USE - CONTAINS BIODEGRADABLE DETERGENT

ACTIVE INGREDIENTS	
Benzethonium chloride	0.28 %w/w
Isopropyl alcohol	17.20 %w/w
INERT INGREDIENTS	82.52 %w/w
TOTAL	100.00 %w/w

AUST R 72908

EFFECTIVE AGAINST:

- Staphylococcus aureus
- Pseudomonas aeruginosa
- Salmonella choleraesuis
- Mycobacterium tuberculosis var: bovis (BCG)**
- Methicillin Resistant Staphylococcus aureus (MRSA)
- Vancomycin Resistant Enterococcus faecalis (VRE)
- Trichophyton mentagrophytes
- Herpes simplex virus types 1 and 2
- Human Immunodeficiency Virus (HIV-1)
- Poliovirus types 1 and 2**
- Hepatitis B (HBV)
- Hepatitis C (HCV) (**In 10 minutes at room temperature 20°C.)

DESCRIPTION:

Kerr Cavicide is a multi-purpose, broad spectrum, ready to use, highly effective cleaner and disinfectant for use on the surfaces of inanimate objects including those made of plastics (such as: polycarbonate, polyvinylchloride, polypropylene and polystyrene), non-porous vinyl and upholstery, stainless steel, painted surfaces, Plexiglas®, glass, and other hard non-porous surfaces. It is especially useful in hospital operating rooms, isolation areas, neonatal units, and other critical care areas where environmental control of cross contamination is important.

APPLICATIONS:

SURFACES: (Where appropriate, follow Universal Precautions)

For disinfecting surfaces: Apply Kerr Cavicide directly to precleaned surface, thoroughly wetting area to be disinfected. Allow surface to remain wet for 3 minutes at room temperature (69°F/20°C). **(For Poliovirus and Tuberculocidal Activity: allow 10 minutes.) Follow by wiping surface using a clean paper or cloth towel; or rinse and either allow surface to air dry or wipe rinsed surface dry using a clean paper or cloth towel. Discard towel. **For precleaning surfaces prior to disinfection:** Apply directly to surface. Allow to remain wet for 30 seconds. Wipe surface clean using a clean paper or cloth towel or rinse surface and either wipe dry or allow to air dry. Discard dirty towel.

Cavicide effectively kills hiv and hbv on precleaned environmental surfaces previously soiled with blood/body fluids in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces with blood / body fluids, and in which the surfaces can be associated with the potential for transmission of human immunodeficiency Virus Type-1 (HIV-1) and Hepatitis B Virus (HBV).

Special instructions for cleaning and decontamination against HIV-1 (Human Immunodeficiency Virus) and Hepatitis B Virus (HBV) of surfaces soiled with blood / body fluid:

• Personal protection: wear appropriate barrier protection such as latex gloves, gowns, masks or eye coverings.